

Blueberry

Sample ID: 1243
Strain: Blueberry
Matrix: Ingestible
Type: Soft Chew
Sample Size: ; Batch:

Produced: Collected:
Received: Completed:
04/06/2025 Batch#:

Client
Habit
Lic. #
N/A
Costa Mesa, CA 92626



Summary

| Test Batch | Date Tested | Result |
|-------------------|-------------|----------|
| Cannabinoids | | Pass |
| Heavy Metals | | Complete |
| Microbials | | Pass |
| Mycotoxins | | Pass |
| GCMS Pesticides | | Pass |
| LCMS Pesticides | | Pass |
| Residual Solvents | | Pass |

Cannabinoids

Complete

| | | |
|--------------------------|-------------------------|--------------------------|
| 10.250 mg/serving | 9.963 mg/serving | 20.213 mg/serving |
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD | LOQ | Result | Result | Result | Result |
|------------------|-------|-------|--------------|--------------|---------------|---------------|
| | mg/g | mg/g | % | mg/g | mg/serving | mg/package |
| CBC | 0.009 | 0.025 | ND | ND | ND | ND |
| CBD | 0.025 | 0.100 | 0.2133 | 2.133 | 9.963 | 9.963 |
| CBDa | 0.019 | 0.050 | ND | ND | ND | ND |
| CBG | 0.019 | 0.100 | ND | ND | ND | ND |
| CBN | 0.009 | 0.050 | ND | ND | ND | ND |
| Δ9-THC | 0.025 | 0.100 | ND | ND | ND | ND |
| Δ8-THC | 0.019 | 0.100 | 0.2195 | 2.195 | 10.250 | 10.250 |
| THCa | 0.013 | 0.050 | ND | ND | ND | ND |
| THCV | 0.025 | 0.100 | ND | ND | ND | ND |
| Total THC | | | 0.219 | 2.195 | 10.250 | 10.250 |
| Total CBD | | | 0.213 | 2.133 | 9.963 | 9.963 |
| Total CBG | | | 0.000 | 0.000 | 0.000 | 0.000 |
| Total | | | 0.433 | 4.328 | 20.213 | 20.213 |

EXCELBIS
LABS

Date Tested:
 Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG.
 Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.
 Cannabinoids: HPLC, CAN-SOP-001
 Water Activity: Water Activity Meter, WA-SOP-001
 Moisture Content: Moisture Analyzer, MO-SOP-001
 Foreign Matter: Visual Inspection, FM-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Blueberry

Sample ID: 1243
Strain: Blueberry
Matrix: Ingestible
Type: Soft Chew
Sample Size: ; Batch:

Produced: Collected:
Received: Completed:
04/06/2025 Batch#:

Client
Habit
Lic. #
N/A
Costa Mesa, CA 92626

GC Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Mass | Status |
|--------------------------------------|--------|--------|--------|------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Captan | 0.231 | 0.7 | 0.7 | ND | Pass |
| Chlordane (trans + cis) | 0.0116 | 0.035 | 0.0116 | ND | Pass |
| Chlorfenapyr | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Cyuthrin | 0.0231 | 0.07 | 2 | ND | Pass |
| Cypermethrin | 0.0231 | 0.07 | 1 | ND | Pass |
| Parathion Methyl | 0.0058 | 0.0175 | 0.0058 | ND | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07 | 0.1 | ND | Pass |

Mycotoxins

Pass

| Analytes | LOD | LOQ | Limit | Conc. | Status |
|-----------------|--------|---------|-------|-------|--------|
| | PPB | PPB | PPB | PPB | |
| A atoxin B1 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin B2 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin G1 | 1.7000 | 5.0000 | | ND | Tested |
| A atoxin G2 | 1.7000 | 5.0000 | | ND | Tested |
| Ochratoxin A | 6.6000 | 20.0000 | 20 | ND | Pass |
| Total A atoxins | | | 20 | ND | Pass |

Microbials

Pass

| Analyte | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
| | RFU/g | RFU/g | |
| Shiga toxin-producing E. Coli | 0 | Not Detected | Pass |
| Salmonella SPP | 0 | Not Detected | Pass |

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
| | PPM | PPM | PPM | PPM | |
| Arsenic | 0.0150 | 0.05 | 0.2 | ND | Pass |
| Cadmium | 0.0113 | 0.05 | 0.2 | ND | Pass |
| Lead | 0.00615 | 0.05 | 0.5 | ND | Pass |
| Mercury | 0.00126 | 0.005 | 0.1 | ND | Pass |

GCMS Date Tested:
Pesticides: GC-MS/MS. GCMS Method GCP-SOP-001
LCMS Date Tested:
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001
Microbial Date Tested:
Microbials Footnote: Microbial: PCR-SOP-001
RFU = Relative Fluorescence Units
Heavy Metals Date Tested:
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlims.com
(866) 506-5866
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Blueberry

Sample ID: 1243
Strain: Blueberry
Matrix: Ingestible
Type: Soft Chew
Sample Size: ; Batch:

Produced: Collected:
Received: Completed:
04/06/2025 Batch#:

Client
Habit
Lic. #
N/A
Costa Mesa, CA 92626

LC Pesticides

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|---|--------|------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.033 | 0.1 | 0.1 | ND | Pass | Imazalil | 0.033 | 0.1 | 0.033 | ND | Pass |
| Acephate | 0.033 | 0.1 | 0.1 | ND | Pass | Imidacloprid | 0.033 | 0.1 | 5 | ND | Pass |
| Acequinocyl | 0.033 | 0.1 | 0.1 | ND | Pass | Kresoxim Methyl | 0.033 | 0.1 | 0.1 | ND | Pass |
| Acetamiprid | 0.033 | 0.1 | 0.1 | ND | Pass | Malathion | 0.033 | 0.1 | 0.5 | ND | Pass |
| Aldicarb | 0.033 | 0.1 | 0.1 | ND | Pass | Metalaxyl | 0.033 | 0.1 | 2 | ND | Pass |
| Azoxystrobin | 0.033 | 0.1 | 0.033 | ND | Pass | Methiocarb | 0.033 | 0.1 | 0.033 | ND | Pass |
| Bifenazate | 0.033 | 0.1 | 0.1 | ND | Pass | Methomyl | 0.033 | 0.1 | 1 | ND | Pass |
| Bifenthrin | 0.033 | 0.1 | 0.1 | ND | Pass | Mevinphos | 0.033 | 0.1 | 0.033 | ND | Pass |
| Boscalid | 0.033 | 0.1 | 3 | ND | Pass | Myclobutanil | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbaryl | 0.033 | 0.1 | 0.1 | ND | Pass | Naled | 0.033 | 0.1 | 0.1 | ND | Pass |
| Carbofuran | 0.033 | 0.1 | 0.5 | ND | Pass | Oxamyl | 0.033 | 0.1 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.033 | 0.1 | 0.033 | ND | Pass | Paclbutrazol | 0.033 | 0.1 | 0.033 | ND | Pass |
| Chlorpyrifos | 0.033 | 0.1 | 10 | ND | Pass | Permethrin (trans + cis) | 0.033 | 0.1 | 0.5 | ND | Pass |
| Clofentezine | 0.033 | 0.1 | 0.033 | ND | Pass | Phosmet | 0.033 | 0.1 | 0.1 | ND | Pass |
| Coumaphos | 0.033 | 0.1 | 0.1 | ND | Pass | Piperonyl Butoxide | 0.033 | 0.1 | 3 | ND | Pass |
| Daminozide | 0.033 | 0.1 | 0.033 | ND | Pass | Prallethrin | 0.033 | 0.1 | 0.1 | ND | Pass |
| Diazinon | 0.033 | 0.1 | 0.033 | ND | Pass | Propiconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Dichlorvos | 0.1 | 0.1 | 0.1 | ND | Pass | Propoxur | 0.033 | 0.1 | 0.033 | ND | Pass |
| Dimethoate | 0.033 | 0.1 | 0.033 | ND | Pass | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04 | 0.5 | ND | Pass |
| Dimethomorph (I + II) | 0.033 | 0.1 | 0.033 | ND | Pass | Pyridaben | 0.033 | 0.1 | 0.1 | ND | Pass |
| Ethoprophos | 0.033 | 0.1 | 2 | ND | Pass | Spinetoram (J + L) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etofenprox | 0.033 | 0.1 | 0.033 | ND | Pass | Spinosyn (A + D) | 0.033 | 0.1 | 0.1 | ND | Pass |
| Etozazole | 0.033 | 0.1 | 0.033 | ND | Pass | Spiromesifen | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenhexamid | 0.033 | 0.1 | 0.1 | ND | Pass | Spirotetramat | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fenoxycarb | 0.033 | 0.1 | 0.1 | ND | Pass | Spiroxamine | 0.033 | 0.1 | 0.033 | ND | Pass |
| Fenpyroximate | 0.033 | 0.1 | 0.033 | ND | Pass | Tebuconazole | 0.033 | 0.1 | 0.1 | ND | Pass |
| Fipronil | 0.033 | 0.1 | 0.1 | ND | Pass | Thiacloprid | 0.033 | 0.1 | 0.033 | ND | Pass |
| Flonicamid | 0.033 | 0.1 | 0.033 | ND | Pass | Thiamethoxam | 0.033 | 0.1 | 5 | ND | Pass |
| Fludioxonil | 0.033 | 0.1 | 0.1 | ND | Pass | Tri oxystrobin | 0.033 | 0.1 | 0.1 | ND | Pass |
| Hexythiazox | 0.033 | 0.1 | 0.1 | ND | Pass | | | | | | |



LCMS Date Tested:
Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con dentlims.com
(866) 506-5866
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Blueberry

Sample ID: 1243
Strain: Blueberry
Matrix: Ingestible
Type: Soft Chew
Sample Size: ; Batch:

Produced: Collected:
Received: Completed:
04/06/2025 Batch#:

Client
Habit
Lic. #
N/A
Costa Mesa, CA 92626

Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
| Acetone | µg/g | µg/g | µg/g | µg/g | Pass |
| Acetonitrile | 15.4688 | 46.875 | 5000 | ND | Pass |
| Benzene | 15.4688 | 46.875 | 410 | ND | Pass |
| Butane | 0.1547 | 0.4688 | 1 | ND | Pass |
| Chloroform 1, 2- | 15.4688 | 46.875 | 5000 | ND | Pass |
| Dichloroethane | 0.1547 | 0.4688 | 1 | ND | Pass |
| Ethanol | 0.1547 | 0.4688 | 1 | ND | Pass |
| Ethyl Acetate | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethyl | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ether | 15.4688 | 46.875 | 5000 | ND | Pass |
| Ethylene Oxide | 0.1547 | 0.4688 | 1 | ND | Pass |
| Heptane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Hexane | 15.4688 | 46.875 | 290 | ND | Pass |
| Isopropyl Alcohol | 15.4688 | 46.875 | 5000 | ND | Pass |
| Methanol | 15.4688 | 46.875 | 3000 | ND | Pass |
| Methylene Chloride | 0.1547 | 0.4688 | 1 | ND | Pass |
| Pentane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Propane | 15.4688 | 46.875 | 5000 | ND | Pass |
| Toluene | 15.4688 | 46.875 | 890 | ND | Pass |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170 | ND | Pass |
| Trichloroethylene | 0.1547 | 0.4688 | 1 | ND | Pass |



Date Tested:
Residual Solvents: HS-GC-MS RS Method RS-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS
All Rights Reserved
coa.support@con.dentlims.com
(866) 506-5866
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.