



## OG Glue

Strain: OG Glue

Matrix: Concentrates & Extracts

Type: Live Rosin Sample Size: ;

Batch:

Produced: Collected:

Received: Completed:

04/24/2025

Batch#: 0425OG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626



### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      |             | Complete |
| Foreign Matter    | 04/24/2025  | Complete |
| Heavy Metals      |             | Pass     |
| Microbials        |             | Pass     |
| Mycotoxins        |             | Pass     |
| GCMS Pesticides   |             | Pass     |
| LCMS Pesticides   |             | Pass     |
| Residual Solvents |             | Pass     |

### Cannabinoids

Complete

69.279%

Total THC

0.470%

Total CBD

70.123%

Total Cannabinoids

| Analyte        | LOD   | LOQ   | Result  | Result  |
|----------------|-------|-------|---------|---------|
|                | mg/g  | mg/g  | %       | mg/g    |
| CBC            | 0.009 | 0.025 | 0.1216  | 1.216   |
| CBD            | 0.025 | 0.100 | 0.3317  | 3.317   |
| CBDa           | 0.019 | 0.050 | 0.1582  | 1.582   |
| CBG            | 0.019 | 0.100 | ND      | ND      |
| CBN            | 0.009 | 0.050 | 0.2520  | 2.520   |
| $\Delta$ 8-THC | 0.025 | 0.100 | ND      | ND      |
| $\Delta$ 9-THC | 0.019 | 0.100 | 0.2868  | 2.868   |
| THCa           | 0.013 | 0.050 | 78.6682 | 786.682 |
| THCV           | 0.025 | 0.100 | ND      | ND      |
| Total THC      |       |       | 69.279  | 692.788 |
| Total CBD      |       |       | 0.470   | 4.704   |
| Total CBG      |       |       | 0.000   | 0.000   |
| Total          |       |       | 70.123  | 701.228 |

Date Tested:

Total THC = THCa \* 0.877 +  $\Delta$ 9-THC +  $\Delta$ 8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001

Dr. Jerry White PhD Bryan Zahakaylo

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



## OG Glue

|                                 |                |            |                      |
|---------------------------------|----------------|------------|----------------------|
| Strain: OG Glue                 | Produced:      | Collected: | Client               |
| Matrix: Concentrates & Extracts | Received:      | Completed: | <b>Habit</b>         |
| Type: Live Rosin Sample Size: ; | 04/24/2025     |            | Lic. #               |
| Batch:                          | Batch#: 0425OG |            | N/A                  |
|                                 |                |            | Costa Mesa, CA 92626 |

## GC Pesticides

**Pass**  
Status

| Analyte                              | LOD    | LOQ    | Limit  | Mass |      |
|--------------------------------------|--------|--------|--------|------|------|
|                                      | µg/g   | µg/g   | µg/g   | µg/g |      |
| Captan                               | 0.231  | 0.7    | 0.7    | ND   | Pass |
| Chlordane (trans + cis)              | 0.0116 | 0.035  | 0.0116 | ND   | Pass |
| Chlorfenapyr                         | 0.0058 | 0.0175 | 0.0058 | ND   | Pass |
| Cyuthrin                             | 0.0231 | 0.07   | 2      | ND   | Pass |
| Cypermethrin                         | 0.0231 | 0.07   | 1      | ND   | Pass |
| Parathion Methyl                     | 0.0058 | 0.0175 | 0.0058 | ND   | Pass |
| Pentachloronitrobenzene (Quintozene) | 0.0231 | 0.07   | 0.1    | ND   | Pass |

## Mycotoxins

**Pass**

| Analytes        | LOD    | LOQ     | Limit | Conc. | Status |
|-----------------|--------|---------|-------|-------|--------|
|                 | PPB    | PPB     | PPB   | PPB   |        |
| A atoxin B1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin B2     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G1     | 1.7000 | 5.0000  |       | ND    | Tested |
| A atoxin G2     | 1.7000 | 5.0000  |       | ND    | Tested |
| Ochratoxin A    | 6.6000 | 20.0000 | 20    | ND    | Pass   |
| Total A atoxins |        |         | 20    | ND    | Pass   |

## Microbials

**Pass**

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus avus              | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

## Heavy Metals

**Pass**

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested:  
Pesticides: GC-MS/MS. GCMS Method GCP-SOP-001  
LCMS Date Tested:  
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001  
Microbial Date Tested:  
Microbials Footnote: Microbial: PCR-SOP-001  
RFU = Relative Fluorescence Units  
Heavy Metals Date Tested:  
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001

*Dr. Jerry White PhD Bryan Zahakaylo*

Con dent LIMS  
All Rights Reserved  
coa.support@con.dentlims.com  
(866) 506-5866  
www.con.dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



## OG Glue

Strain: OG Glue

Matrix: Concentrates &amp; Extracts

Type: Live Rosin Sample Size: ;

Batch:

Produced: Collected:

Received: Completed:

04/24/2025

Batch#: 0425OG

Client

Habit

Lic. #

N/A

Costa Mesa, CA 92626

## LC Pesticides

| Analyte               | LOD   | LOQ  | Limit | Result | Status | Analyte                  | LOD    | LOQ  | Limit | Result | Status |
|-----------------------|-------|------|-------|--------|--------|--------------------------|--------|------|-------|--------|--------|
|                       | µg/g  | µg/g | µg/g  | µg/g   |        |                          | µg/g   | µg/g | µg/g  | µg/g   |        |
| Abamectin             | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imazalil                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Acephate              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Imidacloprid             | 0.033  | 0.1  | 5     | ND     | Pass   |
| Acequinocyl           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Kresoxim Methyl          | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Malathion                | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Aldicarb              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Metalaxyl                | 0.033  | 0.1  | 2     | ND     | Pass   |
| Azoxystrobin          | 0.033 | 0.1  | 0.033 | ND     | Pass   | Methiocarb               | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Bifenazate            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Methomyl                 | 0.033  | 0.1  | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Mevinphos                | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Boscalid              | 0.033 | 0.1  | 3     | ND     | Pass   | Myclobutanil             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbaryl              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Naled                    | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.1  | 0.5   | ND     | Pass   | Oxamyl                   | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.033 | 0.1  | 0.033 | ND     | Pass   | Paclobutrazol            | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Chlorpyrifos          | 0.033 | 0.1  | 10    | ND     | Pass   | Permethrin (trans + cis) | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Clofentezine          | 0.033 | 0.1  | 0.033 | ND     | Pass   | Phosmet                  | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Coumaphos             | 0.033 | 0.1  | 0.1   | ND     | Pass   | Piperonyl Butoxide       | 0.033  | 0.1  | 3     | ND     | Pass   |
| Daminozide            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Prallethrin              | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Diazinon              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Propiconazole            | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.1   | 0.1  | 0.1   | ND     | Pass   | Propoxur                 | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Dimethoate            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Pyrethrins (Cinerin +    | 0.033  | 0.1  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1  | 0.033 | ND     | Pass   | Jasmolin + Pyrethrin)    | 0.0133 | 0.04 | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.033 | 0.1  | 2     | ND     | Pass   | Pyridaben                | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etofenprox            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinetoram (J + L)       | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Etoazole              | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spinosyn (A + D)         | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spiromesifen             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.033 | 0.1  | 0.1   | ND     | Pass   | Spirotetramat            | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Fenpyroximate         | 0.033 | 0.1  | 0.033 | ND     | Pass   | Spiroxamine              | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Fipronil              | 0.033 | 0.1  | 0.1   | ND     | Pass   | Tebuconazole             | 0.033  | 0.1  | 0.1   | ND     | Pass   |
| Flonicamid            | 0.033 | 0.1  | 0.033 | ND     | Pass   | Thiacloprid              | 0.033  | 0.1  | 0.033 | ND     | Pass   |
| Fludioxonil           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Thiamethoxam             | 0.033  | 0.1  | 5     | ND     | Pass   |
| Hexythiazox           | 0.033 | 0.1  | 0.1   | ND     | Pass   | Tri oxystrobin           | 0.033  | 0.1  | 0.1   | ND     | Pass   |
|                       | 0.033 | 0.1  | 0.1   | ND     |        |                          |        |      |       |        |        |

LCMS Date Tested:  
Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001*Dr. Jerry White PhD Bryan Zahalkaylo*Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com

ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



## OG Glue

|                                 |                      |                      |
|---------------------------------|----------------------|----------------------|
| Strain: OG Glue                 | Produced: Collected: | Client               |
| Matrix: Concentrates & Extracts | Received: Completed: | <b>Habit</b>         |
| Type: Live Rosin Sample Size: ; | 04/24/2025           | Lic. #               |
| Batch:                          | Batch#: 0425OG       | N/A                  |
|                                 |                      | Costa Mesa, CA 92626 |

## Residual Solvents

Pass

| Analyte                                   | LOD     | LOQ     | Limit | Conc. | Status |
|---|---------|---------|-------|-------|--------|
| Acetone                                   | µg/g    | µg/g    | µg/g  | µg/g  | Pass   |
| Acetonitrile                              | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Benzene                                   | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Butane                                    | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Chloroform                                | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| 1, 2-Dichloroethane                       | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol                                   | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethyl                                     | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetate                                   | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl                                     | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ether                                     | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethylene Oxide                            | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Heptane                                   | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Hexane                                    | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Isopropyl Alcohol                         | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methanol                                  | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Methylene Chloride                        | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Pentane                                   | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane                                   | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Toluene                                   | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Total Xylenes (o, m, p) Trichloroethylene | 0.1547  | 0.4688  | 1     | ND    | Pass   |

EXCELBIS  
LABS

Date Tested:  
Residual Solvents: HS-GC-MS RS Method RS-SOP-001

*Dr. Jerry White PhD* *Bryan Zahakaylo*  
Jerry White, PhD Bryan Zahakaylo  
Chief Scientist Officer Analyst

Con dent LIMS  
All Rights Reserved  
coa.support@con dentlims.com  
(866) 506-5866  
www.con dentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.