

Sample SAVAGE Cherry Pineapple

|                      |                                                            |                  |              |                    |              |
|----------------------|------------------------------------------------------------|------------------|--------------|--------------------|--------------|
| Lab ID:              | BBL_10342                                                  | Matrix:          | Edible       | Analyses Executed: | CAN          |
| Company:             | Habit Crafted                                              | Lot ID:          | 1237         | Reported:          | 22 Jul, 2026 |
| Phone:               | 800-646-0362                                               | Received:        | 23 Jun, 2026 |                    |              |
| Address:             | 611 Magic Mile St STE205 Arlington, TX 76011 License #1327 |                  |              |                    |              |
| Email:               | info@habitchbd.com                                         | Collection Date: | 19 Jun, 2026 | License Number :   |              |
| COA Expiration Date: | 24 Jun, 2027                                               |                  |              |                    |              |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.

Cannabinoid Profile Analysis

Analyzed 13 Jul, 2026 | Instrument HPLC-PDA | Method TM-101  
Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte                                 | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/pack | mg/unit |
|-----------------------------------------|-----------|-----------|----------|---------------|---------|---------|
| Cannabidivarinic acid (CBDVa)           | 0.030     | 0.080     | ND       | ND            | ND      | ND      |
| Cannabidivarin (CBDV)                   | 0.050     | 0.150     | ND       | ND            | ND      | ND      |
| Cannabidiolic acid (CBDa)               | 0.040     | 0.110     | ND       | ND            | ND      | ND      |
| Cannabigerolic acid (CBGa)              | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabigerol (CBG)                      | 0.080     | 0.230     | ND       | ND            | ND      | ND      |
| Cannabidiol (CBD)                       | 0.060     | 0.190     | 0.0068   | 0.068         | 5.78    | 0.578   |
| Tetrahydrocannabivarin (THCV)           | 0.080     | 0.240     | ND       | ND            | ND      | ND      |
| D8-Tetrahydrocannabivarin (D8-THCV)     | 0.200     | 0.600     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabivarinic acid (THCVa)   | 0.050     | 0.160     | ND       | ND            | ND      | ND      |
| Cannabinol (CBN)                        | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabinolic acid (CBNa)                | 0.080     | 0.250     | ND       | ND            | ND      | ND      |
| Exo-Tetrahydrocannabinol (exo-THC)      | 0.120     | 0.360     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinol (D9-THC)        | 0.120     | 0.360     | 0.2168   | 2.168         | 184.28  | 18.428  |
| D8-Tetrahydrocannabinol (D8-THC)        | 0.140     | 0.430     | 0.0155   | 0.155         | 13.175  | 1.3175  |
| D10 Tetrahydrocannabinol RR (D10THC-RR) | 0.080     | 0.280     | 0.0766   | 0.766         | 65.11   | 6.511   |
| Cannabicyclol (CBL)                     | 0.210     | 0.640     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinolic acid (THCa)   | 0.130     | 0.400     | ND       | ND            | ND      | ND      |
| Cannabichromene (CBC)                   | 0.090     | 0.280     | ND       | ND            | ND      | ND      |
| Cannabichromenic acid (CBCa)            | 0.350     | 1.060     | ND       | ND            | ND      | ND      |
| THCO-Acetate D8 (THCOAc-D8)             | 0.220     | 0.670     | ND       | ND            | ND      | ND      |
| THCO-Acetate D9 (THCOAc-D9)             | 0.250     | 0.750     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9R (HHC-9R)         | 0.150     | 0.450     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9S (HHC-9S)         | 0.230     | 0.680     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabiphlorol (D9-THCP)   | 0.270     | 0.820     | 0.0542   | 0.542         | 46.07   | 4.607   |
| D8-Tetrahydrocannabiphlorol (D8-THCP)   | 0.210     | 0.630     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9R (HHCP-9R)        | 0.150     | 0.460     | ND       | ND            | ND      | ND      |
| Hexahydrocannabinol-9S (HHCP-9S)        | 0.240     | 0.730     | ND       | ND            | ND      | ND      |
| HHC-Acetate (HHCO)                      | 0.280     | 0.840     | ND       | ND            | ND      | ND      |
| Total THC (THCa * 0.877 + THC)          |           |           | 0.2168   | 0.2168        |         |         |

Total weight: 85.0000 g, Unit weight: 8.5000 g

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
NTNC Too Numerous to Count




Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM

Sample Photography



| Analyte                              | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/pack | mg/unit |
|--------------------------------------|-----------|-----------|----------|---------------|---------|---------|
| Total CBD (CBDa * 0.877 + CBD)       |           |           | 0.0068   | 0.068         |         |         |
| Total CBG (CBGa * 0.877 + CBG)       |           |           | ND       | ND            |         |         |
| Total Cannabinoids                   |           |           | 0.3699   | 3.699         | 314.415 | 31.4415 |
| Total D9-THC (THCA * 0.877 + D9 THC) |           |           | 0.2168   | 2.168         |         |         |

Total weight: 85.0000 g, Unit weight: 8.5000 g

## FVI - Filth & Foreign Matter Inspection Analysis

Analyzed 23 Jun, 2026 | Instrument Microscope | Method TM-108

| Analyte Name                                                           | Result   |
|------------------------------------------------------------------------|----------|
| > 1/4 of the total sample area covered by sand soil cinders or dirt    | Negative |
| > 1/4 of the total sample area covered by mold                         | Negative |
| > 1 insect fragment 1 hair or 1 count mammalian excreta per 3g         | Negative |
| > 1/4 of the total sample area covered by an imbedded foreign material | Negative |

## HME - Heavy Metals Detection Analysis

Analyzed 23 Jun, 2026 | Instrument ICP-MS | Method TM-105  
Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte      | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005     | 0.015     | ND          |      |            |
| Cadmium (Cd) | 0.005     | 0.016     | ND          |      |            |
| Mercury (Hg) | 0.004     | 0.013     | ND          |      |            |
| Lead (Pb)    | 0.075     | 0.224     | ND          |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM



MIB - Microbial Testing Analysis

Analyzed 23 Jun, 2026 | Instrument PCR/ Plating | Method TM-109

| Analyte                                | Limit (CFU/g) | Result CFU/g | Flag |
|----------------------------------------|---------------|--------------|------|
| Salmonella SPP                         |               | Neg          |      |
| Total Yeast & Mold                     |               | <10          |      |
| Aspergillus fumigatus                  |               | Neg          |      |
| Aspergillus flavus                     |               | Neg          |      |
| Aspergillus niger                      |               | Neg          |      |
| Aspergillus terreus                    |               | Neg          |      |
| Shiga toxin-producing Escherichia Coli |               | Neg          |      |
| Total Aerobic Count                    |               | <10          |      |
| BTGN                                   |               | Neg          |      |

MTO - Mycotoxin Testing Analysis

Analyzed 23 Jun, 2026 | Instrument LCMS-MS | Method Subcontracted

| Analyte          | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1     | 0.000     | 0.010     | N D                |      |             |
| Mycotoxin B2     | 0.010     | 0.030     | N D                |      |             |
| Mycotoxin G1     | 0.010     | 0.020     | N D                |      |             |
| Mycotoxin G2     | 0.010     | 0.040     | N D                |      |             |
| Ochratoxin A     | 0.020     | 0.060     | N D                |      |             |
| Total Mycotoxins |           |           | N D                |      |             |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM



PES - Pesticides Screening Analysis

Analyzed 23 Jun, 2026 | Instrument LCMS-MS | Method Subcontracted

| Analytes            | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin           | 0.110     | 0.330     | N D         |      |            |
| Acephate            | 0.230     | 0.700     | N D         |      |            |
| Acequinocyl         | 0.110     | 0.320     | N D         |      |            |
| Acetamiprid         | 0.020     | 0.050     | N D         |      |            |
| Aldicarb            | 0.020     | 0.050     | N D         |      |            |
| Azoxystrobin        | 0.020     | 0.060     | N D         |      |            |
| Bifenazate          | 0.010     | 0.030     | N D         |      |            |
| Bifenthrin          | 0.020     | 0.060     | N D         |      |            |
| Boscalid            | 0.060     | 0.170     | N D         |      |            |
| Captan              | 3.096     | 9.383     | N D         |      |            |
| Carbaryl            | 0.010     | 0.040     | N D         |      |            |
| Carbofuran          | 0.010     | 0.020     | N D         |      |            |
| Chlorantraniliprole | 0.010     | 0.030     | N D         |      |            |
| Chlorpyrifos        | 0.010     | 0.030     | N D         |      |            |
| Clofentezine        | 0.010     | 0.040     | N D         |      |            |
| Coumaphos           | 0.040     | 0.120     | N D         |      |            |
| Cyfluthrin          | 2.320     | 7.020     | N D         |      |            |
| Cypermethrin        | 0.370     | 1.130     | N D         |      |            |
| Daminozide          | 0.550     | 1.650     | N D         |      |            |
| Dichlorvos          | 0.050     | 0.140     | N D         |      |            |
| Dimethoate          | 0.010     | 0.020     | N D         |      |            |
| Dimethomorph        | 0.010     | 0.030     | N D         |      |            |
| Ethoprophos         | 0.020     | 0.050     | N D         |      |            |
| Etofenprox          | 0.010     | 0.040     | N D         |      |            |
| Etoxazole           | 0.010     | 0.020     | N D         |      |            |
| Fenhexamid          | 0.040     | 0.140     | N D         |      |            |
| Fenoxycarb          | 0.020     | 0.060     | N D         |      |            |
| Fenpyroximate       | 0.010     | 0.040     | N D         |      |            |
| Fipronil            | 0.010     | 0.040     | N D         |      |            |
| Fludioxinil         | 0.020     | 0.050     | N D         |      |            |
| Flonicamid          | 0.010     | 0.030     | N D         |      |            |
| Hexythiazox         | 0.010     | 0.020     | N D         |      |            |
| Imazalil            | 0.060     | 0.170     | N D         |      |            |
| Imidacloprid        | 0.040     | 0.110     | N D         |      |            |
| Kresoxim-methyl     | 0.020     | 0.050     | N D         |      |            |
| Malathion           | 0.010     | 0.030     | N D         |      |            |
| Metalaxyl           | 0.010     | 0.020     | N D         |      |            |
| Methiocarb          | 0.010     | 0.030     | N D         |      |            |
| Methomyl            | 0.020     | 0.050     | N D         |      |            |
| Mevinphos           | 0.060     | 0.180     | N D         |      |            |
| Myclobutanil        | 1.190     | 3.610     | N D         |      |            |
| Naled               | 0.030     | 0.080     | N D         |      |            |
| Oxamyl              | 0.020     | 0.050     | N D         |      |            |
| Paclobutrazole      | 0.020     | 0.060     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM



| Analytes                | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Permethrin              | 0.080     | 0.260     | N D         |      |            |
| Phosmet                 | 0.010     | 0.030     | N D         |      |            |
| Piperonyl butoxide      | 0.010     | 0.040     | N D         |      |            |
| Prallethrin             | 0.100     | 0.300     | N D         |      |            |
| Propiconazole           | 0.070     | 0.220     | N D         |      |            |
| Propoxur                | 0.010     | 0.030     | N D         |      |            |
| Pyrethrin-I             | 0.020     | 0.060     | N D         |      |            |
| Pyridaben               | 0.010     | 0.020     | N D         |      |            |
| Spinetoram              | 0.230     | 0.690     | N D         |      |            |
| Spinosyn A              | 0.010     | 0.020     | N D         |      |            |
| Spinosyn D              | 0.000     | 0.010     | N D         |      |            |
| Spiromesifen            | 0.050     | 0.140     | N D         |      |            |
| Spirotetramat           | 0.010     | 0.030     | N D         |      |            |
| Spiroxamine             | 0.010     | 0.030     | N D         |      |            |
| Tebuconazole            | 0.010     | 0.030     | N D         |      |            |
| Thiachloprid            | 0.010     | 0.030     | N D         |      |            |
| Methyl parathion        | 0.050     | 0.140     | N D         |      |            |
| Thiamethoxam            | 0.010     | 0.040     | N D         |      |            |
| Diazinon                | 0.010     | 0.040     | N D         |      |            |
| Chlordane               | 0.740     | 2.250     | N D         |      |            |
| Trifloxystrobin         | 0.010     | 0.030     | N D         |      |            |
| Chlorfenapyr            | 0.830     | 2.530     | N D         |      |            |
| Pentachloronitrobenzene | 0.060     | 0.170     | N D         |      |            |
| Chlormequat Chloride    | 2.050     | 4.530     | N D         |      |            |
| Azadirachtin            | 0.250     | 0.850     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM



RES – Residual Solvent Analysis

Analyzed 23 Jun, 2026 | Instrument HS-GC/MS | Method TM-106

| Analyte            | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane            | 0.470     | 1.410     | N D          |      |            |
| Butane             | 0.200     | 0.610     | N D          |      |            |
| Methanol           | 0.070     | 0.230     | 45.44        |      |            |
| Ethylene Oxide     | 0.010     | 0.040     | N D          |      |            |
| Pentane            | 0.130     | 0.410     | N D          |      |            |
| Ethanol            | 0.130     | 0.380     | 66.5         |      |            |
| Ethyl ether        | 0.020     | 0.070     | N D          |      |            |
| Acetone            | 0.060     | 0.180     | 47.72        |      |            |
| Isopropyl alcohol  | 0.030     | 0.090     | N D          |      |            |
| Acetonitrile       | 0.020     | 0.060     | N D          |      |            |
| Methylene chloride | 0.010     | 0.020     | N D          |      |            |
| Hexane             | 0.030     | 0.080     | N D          |      |            |
| Ethyl acetate      | 0.030     | 0.080     | N D          |      |            |
| Chloroform         | 0.010     | 0.030     | N D          |      |            |
| Benzene            | 0.010     | 0.030     | N D          |      |            |
| 1,2-Dichloroethane | 0.010     | 0.030     | N D          |      |            |
| Heptane            | 0.020     | 0.060     | N D          |      |            |
| Trichloroethene    | 0.010     | 0.030     | N D          |      |            |
| Toluene            | 0.010     | 0.020     | N D          |      |            |
| Isobutane          | 3.900     | 11.820    | N D          |      |            |
| Ethyl benzene      | 1.700     | 5.160     | N D          |      |            |
| m,p-Xylenes        | 0.010     | 0.030     | N D          |      |            |
| o-Xylene           | 0.010     | 0.020     | N D          |      |            |
| 1,1-Dichloroethene | 0.010     | 0.030     | N D          |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
22 Jul, 2026 12:19:20 PM